



No.	DESCRIPTION	MATERIAL
1	STEM	CAST LOW LEAD BRASS ALLOY
2	O-RING	EPDM D2000
3	BALL	CAST LOW LEAD BRASS ALLOY
4	GASKET - SEAL	NITRILE D2000
5	BODY	CAST LOW LEAD BRASS ALLOY
6	O-RING	EPDM D2000
7	END PIECE	CAST LOW LEAD BRASS ALLOY
8	CAP	CAST BRASS ASTM B62 ALLOY C83600
9	SOLID PIN	AISI 303 STAINLESS STEEL
10	PLAIN NUT	CAST BRASS ASTM B62 ALLOY C83600
11	SNAP RING	COPPER ALLOY CDA521
12	RUBBER GASKET	NITRILE D2000
13	CTS GSKT SUB	SBR D2000 - GSKT 410SS - BAND
14	CONNX NUT	CAST BRASS ASTM B62 ALLOY C83600

VALVE SIZE	A	B
5/8x3/4or3/4	1-45/64"	1-23/32"
5/8x3/4x1	1-45/64"	2-1/8"
1	1-61/64"	2-1/8"

ALL WETTED PARTS ARE LOW LEAD BRASS ALLOY

FILEPATH: PRDD-ENG\JJ\SUBMITTALS\E1963WSG

						DRFTR	RWB	6/9/08	<b>JONES</b>		
						CHKR					UNLESS OTHERWISE NOTED THIRD ANGLE PROJECTION SURFACE PREPARATION: BREAK CORNER(S) ---- .000 SURFACE FINISH -- XX RMS TOLERANCE(S): LINEAR ----- ± .000 ANGULAR ----- ± 0°00'
						ENGR					
						MGR					
								BY	DATE		
								STK No:			
								MAT'L:			
								DESCR.	BALL ANGLE LLB METER VALVE (110 CTS x METER SWIVEL NUT)	DWG NUMBER E1963WSG	
REV	ECR	DESCRIPTION	DATE	BY	CHKR						

TITLE TO AND OWNERSHIP OF THIS ENGINEERING DATA REMAINS IN Mueller Co. NO USE IS TO BE MADE OF THIS DATA EXCEPT AS SPECIFICALLY AUTHORIZED BY Mueller Co. ASSENT ON THE PART OF THE RECIPIENT TO THESE CONDITIONS IS PRESUMED

DWG NUMBER  
E1963WSG  
JJ-MRKTG