


SIZE	A	B	C	NPT THRD
5/8x3/4x1	3.44	2.31	3.15	1"
3/4	3.21	2.31	3.15	3/4"
1	4.17	2.62	3.78	1"

ITEM	DESCRIPTION	MATERIAL DESCRIPTION
1	BODY	CAST LOW LEAD BRASS ALLOY
2	CAP	CAST BRASS ASTM B62 ALLOY C83600
3	STEM	LOW LEAD BRASS ALLOY
4	BALL	LOW LEAD BRASS ALLOY
5	GASKET	ASTM D2000 (BUNA-N)
6	SPIROL PIN	AISI 303 STAINLESS STEEL
7	O-RING	ASTM D2000 (EP)
8	O-RING	ASTM D2000 (EP)
9	END PIECE	CAST LOW LEAD BRASS ALLOY
10	SNAP RING	COPPER ALLOY WIRE CDA 521
11	SADDLE NUT	CAST BRASS ASTM B62 ALLOY C83600
12	RUBBER GSKT	ASTM D2000 (SBR)



FILEPATH: PROD-ENG\JJ\ASYSUBMITTALS\E1903W

DWG NUMBER
E1903W

TITLE TO AND OWNERSHIP OF THIS ENGINEERING DATA REMAINS IN Mueller Co. NO USE IS TO BE MADE OF THIS DATA EXCEPT AS SPECIFICALLY AUTHORIZED BY Mueller Co. ASSENT ON THE PART OF THE RECIPIENT TO THESE CONDITIONS IS PRESUMED

DRFTR	JGarvin	3/31/10	JONES	UNLESS OTHERWISE NOTED THIRD ANGLE PROJECTION SURFACE PREPARATION: BREAK CORNER(S) ---- .000 SURFACE FINISH -- XX RMS TOLERANCE(S): LINEAR ----- ± .000 ANGULAR ----- ± 0°00'	REF. No.	SCALE NONE
CHKR						
ENGR						
MGR						
BY	DATE		STK No:			
			MAT'L:			
			DESCR.	BALL STRAIGHT LLB METER VALVE (FIP x MTR)		DWG NUMBER E1903W
REV	ECR	DESCRIPTION	DATE	BY	CHKR	