


No.	DESCRIPTION	MATERIAL
1	KEY CAP	CAST BRASS ASTM B62 ALLOY C83600
2	PIN	BRASS ASTM B16 ALLOY C36000
3	SPRING WASHER	PHOS BRONZE
4	O-RING	EPDM ASTM D2000
5	KEY	CAST LOW LEAD BRASS ALLOY
6	BODY	CAST LOW LEAD BRASS ALLOY
7	LOCK NUT	CAST BRASS ASTM B62 ALLOY C83600
8	RUBBER GASKET	NITRILE ASTM D2000



METER CONNX SIZE	A	B
5/8" x 3/4"	1.688	1.656

ALL WETTED PARTS ARE LOW LEAD BRASS ALLOY

FILEPATH: PROD-ENG\JAMESJONES\ASYSUBMITTALS\E6416W

						DRFTR	RWB	5/13/16	<b>JONES</b>
						CHKR			
						ENGR			
						MGR			
									UNLESS OTHERWISE NOTED
									THIRD ANGLE PROJECTION
									SURFACE PREPARATION:
									BREAK CORNER(S) ---- .000
									SURFACE FINISH -- XX RMS
									TOLERANCE(S):
									LINEAR ----- ± .000
									ANGULAR ----- ± 0°00'
									REF. No.
									SCALE
									FULL
									STK No:
									MAT'L:
									DESCR.
									ANGLE METER STOP - LLB
									FIP x IRON BAR
									DWG NUMBER
									E6416W
									REV
									ECR
									DESCRIPTION
									DATE
									BY
									CHKR
									PER EST NO: DXXXX
									EST FIN WT = 0.0000 lbs

DWG NUMBER  
E6416W  
442-MRKTG

TITLE TO AND OWNERSHIP OF THIS ENGINEERING DATA REMAINS IN Mueller Co. NO USE IS TO BE MADE OF THIS DATA EXCEPT AS SPECIFICALLY AUTHORIZED BY Mueller Co. ASSENT ON THE PART OF THE RECIPIENT TO THESE CONDITIONS IS PRESUMED.