



Parts List - All Materials Conform to AWWA C502-85

Part No.	Name of Part	Qty. Req'd
1	OPERATING NUT	1
2	OPERATING NUT SEAL	1
3	OPERATING NUT LOCKING PIN	1
4	LUBRICANT (IN CHAMBER)	
5	TRAVEL STOP NUT	1
6	HOLD DOWN NUT	1
7	HOLD DOWN NUT SCREW	1
*8	BONNET	1
9	BONNET LOCKING SCREW	1
10	BONNET SEAL	1
11	TRAVEL STOP WASHER	1
12	BONNET - REVOLVING NUT "O" RINGS	2
*13	REVOLVING NUT	1
14	INNER REVOLVING NUT "O" RINGS	2
15	PUMPER NOZZLE	1
16	PUMPER NOZZLE CAP GASKET	1
17	PUMPER NOZZLE CAP	1
18	PUMPER NOZZLE GASKET	1
19	HOSE NOZZLE	2
20	HOSE NOZZLE CAP GASKET	2
21	HOSE NOZZLE CAP	2
22	HOSE NOZZLE GASKET	2
23	CHAIN ASSEMBLY	1
*24	VALVE ROD UPPER, INCLUDING BRONZE SHEATH & ROD PIN	1
**25	STANDPIPE UPPER	1
26	VALVE ROD COUPLING (FRANGIBLE)	1
27	COUPLING RETAINING RINGS	2
28	ROD COUPLING PINS	2
**29	STANDPIPE COUPLING SEAL	1
**30	STANDPIPE COUPLING (FRANGIBLE)	2 HALVES
31	STANDPIPE COUPLING BOLT & NUT	2
32	VALVE ROD LOWER (SPECIFY BURY)	1
**33	STANDPIPE LOWER (SPECIFY BURY)	1
34	TOP PLATE PIN - SHEAR PROOF	1
**35	VALVE TOP PLATE	1
36	VALVE ROD LOWER "O" RING	1
**37	ELBOW LOCKING KEY	4
**38	TYTON® GASKET	1
39	DRAIN VALVE SCREWS	2
40	GUIDE PLATE	2
41	DRAIN VALVE SCREWS	6
**42	SEAT RING	1
**43	SEAT RING "O" RINGS	2
**44	MAIN VALVE	1
**45	VALVE BOTTOM PLATE	1
**46	ELBOW, INCLUDES BRONZE SUBSEAT, ELBOW BUSHING & PLASTIC DRAIN HOLE LINER	1
47	ANTI FRICTION BEARING	1
48	NOZZLE LOCKS	3

*Must Specify Direction to Open **Must Specify Size Hydrant – 4.5" or 5.25" Valve Opening

Extension Kit***

Part No.	Name of Part	Qty. Req'd
51	EXTENSION ROD COUPLING ASS'Y W/STN. STL. PINS & RINGS	1
52	ROD EXTENSION (SPECIFY LENGTH)	1
53	EXTENSION COUPLING GASKET	1
54	STANDPIPE COUPLING WITH STAINLESS STEEL NUTS & BOLTS	1
55	STANDPIPE EXTENSION (SPECIFY LENGTH)	1

***Must Specify Size Hydrant – 4.5” or 5.25” Valve Opening and length (standard extensions are 6,” 12,” 24,” 30,” 36,”). Longer lengths are available on special order.

Traffic Repair Kit**

Part No.	Name of Part	Qty. Req'd	Material
26	VALVE ROD COUPLING (FRANGIBLE)	1	CAST IRON
27	COUPLING RETAINING RINGS	2	STN. STL.
28	ROD COUPLING RINGS	2	STN. STL.
29	STANDPIPE COUPLING SEAL	1	NBR RUBBER
30	STANDPIPE COUPLING (FRANGIBLE)	2 HALVES	CAST IRON
31	STANDPIPE COUPLING SCREW & NUT	2	STEEL

**Must Specify Size Hydrant – 4.5” or 5.25” Valve Opening